Journal of Loss Prevention in the process industries

The international journal of chemical and process plant safety

Index to Volume 6 (1993)

Number 1 (January) pp 1–64
Number 2 (March) pp 65–136
Number 3 (June) pp 137–200
Number 4 (August) pp 203–272
Number 5 (October) pp 273–336

Article index

Number 1

A simplified method for predicting the effect of ducts connected to explosion vents
E. A. Ural 3
Elliptic integral solutions for fluid discharge rates from punctured horizontal cylindrical vessels
J. T. Sommerfeld and M. P. Stallybrass 11
Gas explosions in linked vessels
H. Phylaktou and G. E. Andrews 15
Explosion enhancement through a 90° curved bend
H. Phylaktou, M. Foley and G. E. Andrews 21
Vent line void fractions and mass flow rates during top venting of high viscosity fluids
K. Bell, S. D. Morris and R. Oster 31
Evaluating the probability of major hazardous incidents as a result of escalation events
G. N. Pettitt, R. R. Schumacher and L. A. Seeley 37
Preliminary safety analysis
G. Wells, M. Wardman and C. Whetton 47
Ignition of maleic anhydride soaked insulation
C. B. Vaughn and R. A. Mancini 61

Number 2

Data-oriented hazard assessment as process optimization data: the isomerization of an 'oxime'
P. Cardillo, M. Cattaneo, S. Beratto and L. Canavesi 69
Modification of an accelerating rate calorimeter for operation from sub-ambient temperatures
I. Townsend and C. E. Valder 75
Experimental study of thermal hazards during the hydrogenation of aromatic nitro compounds
F. Stoessel 79
Determination of the thermokinetic parameters of an exothermic reaction using isothermal, adiabatic and temperature-programmed calorimetry in conjunction with spectrophotometry
T. J. Snee, C. Bassani and J. A. M. Ligthart 87
Use of the accelerating rate calorimeter and the thermal activity monitor to estimate stability temperatures
M. W. Whitmore and J. K. Wilberforce 95
The phenol + formaldehyde runaway reaction. Vent sizing for reactor protection
J.-L. Gustin, J. Fillion, G. Tréand and K. El Biyaali 103
Monitoring reaction exotherms in pilot scale batch reactors
C. H. Steele, P. F. Nolan, J. L. Lowe, A. Hirst and A. J. Starkie 115
Analytical expressions for estimating damage area in toxic gas releases
B. Geeta, A. Tripathi and S. Narasimhan 125

Number 3

Study of iron sulfide as a possible ignition source in the storage of heated bitumen
F. M. Davie, P. F. Nolan and T. W. S. Hoban 139
Evidence of the oxidation of deposits in heated bitumen storage tanks
F. M. Davie, S. Mores, P. F. Nolan and T. W. S. Hoban 145
Fire spread along structural metal pieces in oxygen
T. Hirano and J. Sato 151
Industrial fuel ignition conditions by flame radiation
S. B. Dorofeev, A. A. Efimenko, A. S. Kochurko and M. S. Kuznetsov 159
New challenges for physical chemists: laws, chemicals and regulators
P. R. Fisk and D. A. Howes 165
Report of an explosion during the manufacture of an azodicarbonamide formulation
M. W. Whitmore, J. P. Gladwell and P. V. Rutledge 169
DIERS churn–turbulent disengagement correlation extended to horizontal cylinders and spheres
C. M. Sheppard 177
Determination of self-accelerating decomposition temperatures for self-reactive substances
H. G. Fisher and D. D. Goetz 183

Number 4

Mathematical model for the self-heating of deposits found in heated bitumen storage tanks
F. M. Davie, P. F. Nolan and R. F. Tucker 203
Mitigation of hydrofluoric acid releases: simulation of the performance of water spraying systems
V. M. Fthenakis and D. N. Blewitt 209
Marine transport of dangerous goods. Risk assessment based on historical accident data
H. Rømer, L. Brockhoff, P. Haastrup and H. J. Styhr Petersen 219
Characterization of fire products from organophosphorus pesticides using the DIN 53436 method
L. Smith-Hansen and K. H. Jorgensen 227
Environmental impact of a warehouse fire containing ammonium nitrate
V. Christiansen, R. Kakko and R. Koivisto 233
Prediction of pressure and flame effects in the direct surroundings of installations protected by dust explosion venting
K. van Wingerden 241

Velocity of a single small missile ejected from a vessel containing high pressure gas
M. R. Baum 251
Prediction of flammable limits for inerting and vacuum
D. A. Lihou 265

Number 5

Thermal stability screening and reaction calorimetry. Application to runaway reaction hazard assessment and process safety management
J. L. Gustin 275
Design of long safety valve vent line systems for gas relief
L. Friedel and J. Schmidt 293
Critical storage volume of self-reacting products
H. Martin and K. A. Ruppert 303
Pipeline leak detection based on mass balance: importance of the packing term
P. Stouffs and M. Giot 307
Optimizing safety of control rooms in case of flammable releases
C. Cannalire, R. Clarke, B. Mazzarotta and R. Nicoletti 313
The FIRES project: experimental study of thermal runaway due to agitation problems during toluene nitration
J. M. Zaldívar, H. Hernández, H. Nieman, E. Molga and C. Bassani 319
HGSPRAY: a complete model of spraying unconfined gaseous releases
V. M. Fthenakis 327

Book reviews 135, 270

Conference reports 63, 133, 269

Author index

Andrews, G. E. 15, 21

Bassani, C. 87, 319
Baum, M. R. 251
Bell, K. 31
Beratto, S. 69
Blewitt, D. N. 209
Brockhoff, L. 219

Canavesi, L. 69
Cannalire, C. 313
Cardillo, P. 69
Cattaneo, M. 69
Christiansen, V. 233
Clarke, R. 313

Davie, F. M. 139, 145, 203
Dorofeev, S. B. 159

Efimenko, A. A. 159
El Biyaali, K. 103

Fillion, J. 103
Fisher, H. G. 183
Fisk, P. R. 165
Foley, M. 21
Friedel, L. 293
Fthenakis, V. M. 209, 327

Geeta, B. 125
Giot, M. 307
Gladwell, J. P. 169
Goetz, D. D. 183
Gustin, J.-L. 103, 275

Haastrup, P. 219
Hernández, H. 319
Hirano, T. 151
Hirst, A. 115
Hoban, T. W. S. 139, 145
Howes, D. A. 165

Jorgensen, K. H. 227

Kakko, R. 233
Kochurko, A. S. 159
Koivisto, R. 233
Kuznetsov, M. S. 159

Ligthart, J. A. M. 87
Lihou, D. A. 265
Lowe, J. L. 115

Mancini, R. A. 61
Martin, H. 303
Mazzarotta, B. 313
Molga, E. 319
Mores, S. 145
Morris, S. D. 31

Narasimhan, S. 125
Nicoletti, R. 313
Nieman, H. 319
Nolan, P. F. 115, 139, 145, 203

Oster, R. 31

Pettitt, G. N. 37
Phylaktou, H. 15, 21

Romer, H. 219
Ruppert, K. A. 303
Rutledge, P. V. 169

Sato, J. 151
Schmidt, J. 293
Schumacher, R. R. 37
Seeley, L. A. 37
Sheppard, C. M. 177
Smith-Hansen, L. 227
Snee, T. J. 87
Sommerfeld, J. T. 11
Stallybrass, M. P. 11
Starkie, A. J. 115
Steele, C. H. 115
Stoessel, F. 79
Stouffs, P. 307
Styhr Petersen, H. J. 219

Townsend, I. 75
Treand, G. 103
Tripathi, A. 125
Tucker, R. F. 203

Ural, E. A. 3

Valder, C. E. 75
Vaughn, C. B. 61

Wardman, M. 47
Wells, G. 47
Whetton, C. 47
Whitmore, M. W. 95, 169
Wilberforce, J. K. 95
van Wingerden, K. 241

Zaldívar, J. M. 319

Keyword index

Accelerating rate calorimeter
Sub-ambient temperatures, Diazonium salt 75
Thermal activity monitor, Stability temperatures 95
Agitation problems
Runaway reactions, Aromatic nitration 319
Ammonium nitrate
Environmental impact, Warehouse fires 233
Aromatic nitration
Runaway reactions, Agitation problems 319
Aromatic nitro compounds
Hydrogenation, Thermal hazards 79

Bend
Explosion enhancement, Flame speeds 21
Bitumen
Storage, Deposit 145
Self-heating, Modelling 203
Blast and flame effects
Dust explosions, Explosion venting 241

Calorimetry
Spectrophotometry, Isothermal kinetics 87
Churn–turbulent drift flux correlation disengagement
Pressure relief design, Two-phase flow 177
Control rooms
Risk analysis, Flammable releases 313
Critical storage volume
Self-reacting products, Safety conditions 303

DIN 53436 method
Organophosphorus pesticides, Fire product characterization 227
Dangerous goods
Marine transport, Risk assessment 219
Deflagration
Self-accelerating decomposition temperature, Venting 169
Deposit
Bitumen, Storage 145
Diazonium salt
Accelerating rate calorimeter, Sub-ambient temperatures 75
Dust explosions
Explosion venting, Blast and flame effects 241

Elliptic integrals
Horizontal cylindrical vessels, Liquid discharge 11
Environmental impact
Ammonium nitrate, Warehouse fires 233
Escalation event
Failure frequency, Major hazardous incident 37
Explosion
Vent ducts, Implosion 3
Explosion enhancement
Bend, Flame speeds 21
Explosion transmission
Linked vessels, Flame speeds 15
Explosion venting
Dust explosions, Blast and flame effects 241

Failure frequency
Escalation event, Major hazardous incident 37
Fire product characterization
Organophosphorus pesticides, DIN 53436 method 227
Fire spread
Metal combustion, Metal fire 151

Flame heat flux
Liquid fuels, Model 159
Flame speeds
Linked vessels, Explosion transmission 15
Explosion enhancement, Bend 21
Flammable limits
Mathematical model 265
Flammable releases
Control rooms, Risk analysis 313
Formaldehyde
Phenol, Vent sizing 103

Hazard analysis
Process safety, Note assessment 47
Hazard assessment
Oxime isomerization, Process optimization data 69
Runaway reactions, Process safety management 275
Heat flow calorimetry
Reaction exotherms, Pilot scale 115
Heated bitumen storage
Iron sulfide, Ignition source 139
High viscosity fluids
Vent line void fraction, Mass flow rate 31
Horizontal cylindrical vessels
Liquid discharge, Elliptic integrals 11
Hydrofluoric acid releases
Water spraying system, Mitigation 209
Model, Water spraying system 327
Hydrogenation
Aromatic nitro compounds, Thermal hazards 79

Ignition
Maleic anhydride, Insulation 61
Ignition source
Iron sulfide, Heated bitumen storage 139
Implosion
Explosion, Vent ducts 3
Insulation
Maleic anhydride, Ignition 61
Iron sulfide
Heated bitumen storage, Ignition source 139
Isothermal kinetics
Spectrophotometry, Calorimetry 87

Legislation
Physico-chemical properties, Test methods 165
Lethal concentration
Risk assessment, Toxic release 125
Linked vessels
Explosion transmission, Flame speeds 15
Liquid discharge
Horizontal cylindrical vessels, Elliptic integrals 11
Liquid fuels
Flame heat flux, Model 159

Major hazardous incident
Escalation event, Failure frequency 37
Maleic anhydride
Insulation, Ignition 61
Marine transport
Dangerous goods, Risk assessment 219
Mass flow rate
Vent line void fraction, High viscosity fluids 31
Mathematical model
Flammable limits 265
Metal combustion
Fire spread, Metal fire 151
Metal fire
Metal combustion, Fire spread 151
Mitigation
Hydrofluoric acid releases, Water spraying system 209
Model
Liquid fuels, Flame heat flux 159
Water spraying system, Hydrofluoric acid releases 327
Modelling
Self-heating, Bitumen 203

Note assessment
Process safety, Hazard analysis 47

Organophosphorus pesticides
DIN 53436 method, Fire product characterization 227
Oxime isomerization
Hazard assessment, Process optimization data 69

Phenol
Formaldehyde, Vent sizing 103
Physico-chemical properties
Legislation, Test methods 165
Pilot scale
Heat flow calorimetry, Reaction exotherms 115
Pipeline leak detection
Pressure wave velocity, Transient flow 307
Pressure relief design
Two-phase flow, Churn–turbulent drift flux correlation disengagement 177
Pressure vessel rupture
Small missile, Under-expanded gas jet 251
Pressure wave velocity
Pipeline leak detection, Transient flow 307
Process optimization data
Hazard assessment, Oxime isomerization 69
Process safety
Harzard analysis, Note assessment 47
Process safety management
Runaway reactions, Hazard assessment 275

Reaction exotherms
Heat flow calorimetry, Pilot scale 115
Risk analysis
Control rooms, Flammable releases 313
Risk assessment
Toxic release, Lethal concentration 125
Marine transport, Dangerous goods 219
Runaway reactions
Hazard assessment, Process safety management 275
Aromatic nitration, Agitation problems 319

Safety conditions
Self-reacting products, Critical storage volume 303
Self-accelerating decomposition temperature
Deflagration, Venting 169
Self-reactive substance, Thermal explosion theory 183
Self-heating
Bitumen, Modelling 203
Self-reacting products
Critical storage volume, Safety conditions 303
Self-reactive substance
Self-accelerating decomposition temperature, Thermal explosion theory 183
Small missile
Pressure vessel rupture, Under-expanded gas jet 251
Spectrophotometry
Isothermal kinetics, Calorimetry 87
Stability temperature
Accelerating rate calorimeter, Thermal activity monitor 95
Storage
Bitumen, Deposit 145
Sub-ambient temperatures
Accelerating rate calorimeter, Diazonium salt 75

Test methods
Physico-chemical properties, Legislation 165
Thermal activity monitor
Accelerating rate calorimeter, Stability temperatures 95
Thermal explosion theory
Self-accelerating decomposition temperature, Self-reactive substance 183
Thermal hazards
Aromatic nitro compounds, Hydrogenation 79
Toxic release
Risk assessment, Lethal concentration 125
Transient flow
Pipeline leak detection, Pressure wave velocity 307
Two-phase flow
Pressure relief design, Churn–turbulent drift flux correlation disengagement 177

Under-expanded gas jet
Pressure vessel rupture, Small missile 251

Vent ducts
Explosion, Implosion 3
Vent line void fraction
Mass flow rate, High viscosity fluids 31
Vent sizing
Phenol, Formaldehyde 103
Venting
Deflagration, Self-accelerating decomposition temperature 169

Warehouse fires
Ammonium nitrate, Environmental impact 233
Water spraying system
Hydrofluoric acid releases, Mitigation 209
Model, Hydrofluoric acid releases 327